

Directorate of Town and Country Planning Haryana

Sector-18A; Madhya Marg, Chandigarh | Email: tcpharyana7@gmail.com

Subject:

Inviting of objections & suggestions on proposed amendments in Haryana Building Code, 2017.

Public Notice: CLU-MISC-720/19917 Dated: 22.06.2023

PUBLIC NOTICE

Certain amendments in the Haryana Building Code, 2017, as mentioned below have been approved by the Government. While hosting on the website of the Department, the objections/ suggestions on the said amendments are invited from the general public and all stake holders. These may be forwarded through Email to the following within a period of 30 days of the issuance of this public notice i.e. upto 22.07.2023:-

- 1. DGTCP, Haryana, Chandigarh: tcpharyana7@gmail.com.
- 2. Assistant Town Planner, HQ: atp.hqyc.tcp@gmail.com.

DRAFT AMENDMENT IN HARYANA BUILDING CODE, 2017.

- (A) In Chapter 6, in Code 6.3(3)(viii), after clause c, the following shall be inserted:-
 - "(d). Electric Vehicle Charging Infrastructure shall be made free from FAR and 2 Electric Vehicle charging points per 100 ECS (Equivalent Car Space) shall be made mandatory in Group Housing, Commercial and I.T. buildings."
- (B) In Chapter 6, Sub-clause (i) of Clause f of Note for Code 6.3(3)(ii), (iii) and (iv) shall be substituted as follows:-
 - "(i) For Data Centres, parking requirement of 1 ECS for 200 sqm of covered area will be provided in open area."

-Sd-