



## Directorate of Town and Country Planning Haryana

Sector-18A; Madhya Marg, Chandigarh | Email: tcpharyana7@gmail.com

**Subject:** *Inviting of objections & suggestions on proposed amendments in Haryana Building Code, 2017.*

**Public Notice: MISC-2339-ULB-Vol I/18514**

**Dated: 21.06.2024**

### **PUBLIC NOTICE**

Certain amendments in the Haryana Building Code, 2017, as mentioned below have been approved by the Government. While hosting on the website of the Department, the objections/ suggestions on the said amendments are invited from the general public and all stake holders. These may be forwarded through e-mail to the following within a period of 30 days of the issuance of this public notice i.e. upto 20.07.2024 :-

1. DTCP, Haryana, Chandigarh : tcpharyana7@gmail.com.
2. Assistant Town Planner, HQ : atp.hqraman.tcp@gmail.com.

### **DRAFT AMENDMENT IN HARYANA BUILDING CODE, 2017.**

**(A) In Chapter 7, Clause 2 of Code 7.1 shall be substituted as follows:-**

*“(2) In Group Housing, minimum 1.5 Equivalent Car Space (ECS) for each dwelling unit shall be required. In addition to above parking requirement for main dwelling units, additional 5% of the total car parking be made available against EWS category flats adjoining or below the EWS category flats.”*

**(B) In Chapter 7, Note (iii) of Code 7.11 shall be substituted as follows:-**

*“(iii) Horizontal ducting for ventilation may be installed in building with exhaust fan of appropriate capacity for discharging used air to external face of building. In such cases, provision of ventilation shafts as mentioned at Sub Code 6 of code 7.11 shall not be required.”*

Sd/-  
(Amit Khatri, IAS)  
Director, Town and Country Planning,  
Haryana, Chandigarh